

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	631	("synchronous connection-oriented" or "synchronous connection oriented" or "SCO") and bluetooth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 14:01
L2	9	(add\$3 chang\$3 increas\$3) near3 (SCO adj2 link)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 14:46
L3	7	(add\$3 increas\$3) near4 SCO near4 link	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 14:53
L4	0	(assign\$3 allocat\$3) near4 SCO near4 ((two more) adj3 link)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 14:55
L5	0	(assign\$3 allocat\$3) near5 SCO near5 ((two more) adj3 link)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 14:56
L6	10	(assign\$3 allocat\$3) same SCO near5 ((two more) adj3 link)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 15:08
L7	12	(assign\$3 allocat\$3) same SCO near5 ((two more several) adj3 (link connection))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 15:09
L8	1	(assign\$3 allocat\$3 add\$3) near8 (SCO near5 ((two more several) adj3 (link connection)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 15:12

EAST Search History

L9	1	(assign\$3 allocat\$3 add\$3) near8 (SCO near5 ((two more several) adj3 (link connection channel)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 15:46
S1	550	("synchronous connection-oriented" or "synchronous connection oriented" or "SCO") and bluetooth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 13:14
S2	119	S1 and ((channel link) near5 quality)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/01 14:55
S3	59	S2 and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/01 10:07
S4	550	("synchronous connection-oriented" or "synchronous connection oriented" or "SCO") and bluetooth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/01 15:23
S5	73	S4 and ((channel link) near5 quality distortion) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/01 15:24
S6	397	("synchronous connection-oriented" or "synchronous connection oriented" or "SCO") same bluetooth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/01 15:24
S7	46	S6 and ((analyz\$3 test\$3 determin\$3 examin\$3 evaluat\$3 etimat\$3 inspect) near3 (channel link)) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/01 16:18

EAST Search History

S8	19	S6 and ((analyz\$3 test\$3 determin\$3 examin\$3 evaluat\$3 etimat\$3 inspect) near3 (channel link) near5 (quality integrity condition)) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/01 16:19
S9	551	("synchronous connection-oriented" or "synchronous connection oriented" or "SCO") and bluetooth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 09:25
S10	19	S9 and ((analyz\$3 test\$3 determin\$3 examin\$3 evaluat\$3 etimat\$3 inspect) near3 (channel link) near5 (quality integrity condition)) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 09:13
S11	19	S9 and ((analyz\$3 test\$3 determin\$3 examin\$3 evaluat\$3 etimat\$3 inspect) near3 (channel link) near5 (quality integrity condition)) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 09:13
S12	1	S9 and ("HV3" same "HV2" and timeslot) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 09:14
S13	8	S9 and ("HV3" "HV2" "HV1") same (timeslot time-slot "time slot") and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 09:16
S14	2010	("370"/\$.ccls. "455"/\$.ccls. "375"/\$.ccls.) and ((analyz\$3 test\$3 determin\$3 examin\$3 evaluat\$3 etimat\$3 inspect) near10 (channel\$3 near3 quality))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 09:24
S15	1164	("370"/\$.ccls. "455"/\$.ccls. "375"/\$.ccls.) and ((analyz\$3 test\$3 determin\$3 examin\$3 evaluat\$3 etimat\$3 inspect) near10 (channel\$3 near3 quality)) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 09:17

EAST Search History

S16	11	S14 and ("synchronous connection-oriented" or "synchronous connection oriented" or "SCO" or "eSCO") and bluetooth and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 09:18
S17	1	S16 and ("HV3" "HV2" "HV1") same (timeslot time-slot "time slot")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 12:33
S18	16	S9 and ((analyz\$3 test\$3 determin\$3 examin\$3 evaluat\$3 etimat\$3 inspect) near10 (channel\$3 near3 quality))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 09:19
S19	11	S18 and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 09:32
S20	2	"6397061".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 09:20
S21	67	S9 and ("SCO" "eSCO" "synchronous connection-oriented") near20 ((link channel) near3 (mangag\$5 control\$3 administr\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 09:20
S22	34	S9 and ((chang\$3 switch\$3 alternat\$4 convert\$3 fluctuat\$3 alter\$3 adjaust\$3 replac\$3 transform\$5) near3 ("SCO" "eSCO" "synchronous connection-oriented" "synchronous connection oriented"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 11:44
S23	19	S22 and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 11:17

EAST Search History

S24	19	S9 and ((chang\$3 switch\$3 alternat\$4 convert\$3 fluctuat\$3 alter\$3 adjaust\$3 replac\$3 transform\$5) near3 (link near2 "SCO" "eSCO" "synchronous connection-oriented" "synchronous connection oriented"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 11:46
S25	10	S24 and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 11:45
S26	4	S9 and ((chang\$3 switch\$3 alternat\$4 convert\$3 fluctuat\$3 alter\$3 adjaust\$3 replac\$3 transform\$5) adj3 (link near2 "SCO" "eSCO" "synchronous connection-oriented" "synchronous connection oriented")) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 16:27
S27	25	bluetooth and ("SCO" "eSCO" "e-SCO" "synchronous connection-oriented" "synchronous connection oriented") near15 (link near5 (manag\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 07:59
S28	11	bluetooth and ("SCO" "eSCO" "e-SCO" "synchronous connection-oriented" "synchronous connection oriented") near15 (link near5 (manag\$5 chang\$3 fluctuat\$3 alter\$3 adjaust\$3 replac\$3)) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 16:29
S29	9	bluetooth same ("SCO" "eSCO" "e-SCO" "synchronous connection-oriented" "synchronous connection oriented") near15 (link near5 (manag\$5 chang\$3 fluctuat\$3 alter\$3 adjaust\$3 replac\$3)) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/14 15:04
S30	20	bluetooth same ("SCO" "eSCO" "e-SCO" "synchronous connection-oriented" "synchronous connection oriented") near15 (link near5 (manag\$5 chang\$3 fluctuat\$3 alter\$3 adjaust\$3 replac\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/14 15:09

EAST Search History

S31	5	bluetooth and ((chang\$3 alter\$3 adjaust\$3 replac\$3) near10 ("SCO" "eSCO" "e-SCO" "synchronous connection-oriented" "synchronous connection oriented") near10 link)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/14 15:13
S32	585	("synchronous connection-oriented" or "synchronous connection oriented" or "SCO") and bluetooth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 12:39
S33	158	S32 and (link type) near10 manage\$5 and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 08:04
S34	60	S32 and (chang\$3 near5 (link type))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 08:05
S35	18	S32 and (chang\$3 near5 (link type)) and @ay<"2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 08:10
S36	1	S32 and (SCO with (chang\$3 near5 (link type))) and @ay<"2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 08:26
S37	4	S32 and (SCO with (switch\$3 near5 (link type))) and @ay<"2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 08:35
S38	0	S32 and (SCO near3 asymmertric\$4) and @ay<"2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 08:36

EAST Search History

S39	0	S32 and (SCO near15 asymmertric\$4) and @ay<"2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 08:37
S40	0	S32 and (SCO same asymmertric\$4) and @ay<"2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 10:38
S41	302	(channel near5 (re-assign\$5 re-allocat\$5 reallocat\$5 (dynamic near2 allocat\$5)) same voice) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 12:34
S42	7	(channel near5 (re-assign\$5 re-allocat\$5 reallocat\$5 (dynamic near2 allocat\$5)) same voice same (channel near4 quality)) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 10:47
S43	0	S41 and SCO and (HV1 HV2 HV3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 12:39
S44	2	(channel near4 allocat\$5) same SCO same (HV1 HV2 HV3 "type1")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 12:36
S45	21	S33 and SCO same (HV1 HV2 HV3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 12:39
S46	2	"733923".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 09:19

EAST Search History

S47	585	("synchronous connection-oriented" or "synchronous connection oriented" or "SCO") and bluetooth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 09:34
S48	158	S47 and (link type) near10 manage\$5 and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 09:34
S49	21	S48 and SCO same (HV1 HV2 HV3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 09:48
S50	1	(dynamic\$4 near5 (manag\$5 select\$3 choos\$3) near5 SCO) and bluetooth and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 09:52
S51	26	((manag\$5 select\$3 choos\$3) near5 SCO) and bluetooth and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 09:57
S52	2	((manag\$5 select\$3 choos\$3) near5 (HV1 HV2 HV3)) and bluetooth and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 10:00
S53	2	((manag\$5 select\$3 choos\$3) near5 (HV1 HV2 HV3 type1 type2 type3)) and bluetooth and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 10:37
S54	34	(sco near5 (HV1 HV2 HV3 type1 type2 type3)) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 11:16

EAST Search History

S55	178	bluetooth and (quality near3 channel) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 15:03
S56	17	((dynamic adptive) near5 qos) and (quality near3 channel) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 15:21
S57	0	((dynamic adptive) adj3 qos) same (quality near3 channel) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 15:21
S58	13	((dynamic adptive) adj3 slot) same (quality near3 channel) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 15:52
S59	44	((dynamic adptive allocat\$5) adj3 slot) same (quality near3 (measur\$5 result\$3 channel)) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 18:40
S60	38	(370/252,328,329,341,462,458, 461,442,443,44,226,315,498,501. ccls. 445/41.2,41.3,512,575.2, 552.1,517,448,446,423,439.ccls.) and (bluetooth same SCO)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 19:42